

Hydraulikplan Hydraulic diagram

3518/3518P / 3520/3520P TIER 3 - H176

H176
Baureihe /
Series

3045 - 9999
Seriennummer /
Serial No

28.10.2019
Ausgabedatum /
Date of issue

02632218_02
Katalog Bestellnummer /
Catalogue order No

Schutzvermerk nach ISO 16016

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet.
Zuwiderhandlungen verpflichten zum Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Geschmacksmustereintragung vorbehalten.

Protection Notice ISO 16016

The reproduction, distribution and utilization of this document as well as the communication of its contents to others without explicit authorization is prohibited.
Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

1		2		3		4		5		6		7		8	
Blatt / Sheet		Inhalt / Contents		Blatt / Sheet		Inhalt / Contents									
1		Deckblatt cover sheet													
2		Inhaltsverzeichnis contents													
3		Motor und Pumpenanbau engine and pump installation													
4		Fahrtrieb HAMMTRONIC advance drive HAMMTRONIC													
5		Fahrtrieb hydraulisch advance drive hydraulic													
6		Vibrationsantrieb Vibration drive													
7		Kühlung & Öltank & Bremse & Lenkung cooling & oil tank & brake & steering													
8		Option Schubschild & Nebenstromfilter Option Blade & Bypass filtration													
9		Erklärung Aufbau Betriebsmittelkennzeichen Explanation device designation layout													
10		Erklärung Gerätekenbuchstaben, hydraulisch Explanation device code letter, hydraulic													
11		Erklärung Linienformate, Leitungsbezeichnungen Explanation line formats, line designations													
12		Betriebsmittelliste device list													


Hydraulics


Refer to protection notice ISO 16016

Schutzvermerk nach ISO 16016 beachten


© 2014 by Hamm AG

Drawing by:		Approved by:		last change:		Status:		Document No.:		Material No.:		Revision No.:		Sheet	
date 03.01.2018		date		date		AE = changeable		Partial Document No.:		02632218		02		2	
name Johannes Stock		name		name		PF = prototype release		Partial Document No.:		Series code:		Valid for Serial No.:		3	
E - CAE		Document type:		Function group No.:		SF = serial release		Version No.:		H176		from 3045 to 9999		12	
		HFP								Sheet plant:		Sheet Location:		8	
1		2		3		4		5		6		7		8	
						w HAMM				Inhaltsverzeichnis contents					






Refer	Drawing by:			Approved by:			last change:			Status:		Document No.: Partial Document No.: Version No.:	Material No.: 02632218	Revision No.: 02	Fahntrieb hydraulisch advance drive hydraulic	Sheet 5 of 12 Sheets
	date	03.01.2018	date		date											
	name	Johannes Stock	name		name											
	E - CAE						Function group No.:									
	Document type:			HFP			Sheet plant: Sheet Location:									



Drawing by:		Approved by:		last change:		Status:		Document No.:		Material No.:		Revision No.:		Kühlung & Öltank & Bremse & Lenkung		cooling & oil tank & brake & steering		Sheet	
date	03.01.2018	date		date		AE - rechargeable		Partial Document No.:		02632218		02						7	
name	Johannes Stock	name		name		PF - prototype release		Version No.:		Series code	H176	Valid for Serial No.:						12	
E - CAE		Document type:		Function group No.:		SF - serial release				Sheet plant:	from 3045	to 9999							
		HFP								Sheet Location:									

Aufbau Betriebsmittelkennzeichen /
device designation configuration



Drawing by:		Approved by:		last change:		Status:		Document No.:		HAMM		Material No.:		Revision No.:		Erklärung Aufbau Betriebsmittelkennzeichen		Sheet	
date	03.01.2018	date		date		AE = change		Partial Document No.:		Valid for Serial No.:		02		Valid for Serial No.:		9		of	
name	Johannes Stock	name		name		PF = prototype release		Version No.:		from 3045 to 9999		H176		from 3045 to 9999		12		of	
E - CAE		Document type:		Function group No.:		SF = serial release				Sheet plant:		Sheet Location:							

Linienformate / line formats			Leistungsbezeichnungen / line designations		
<u>Linienart / line type</u>	<u>Linienstärke / Grafik / line thickness / graphic</u>	<u>Bedeutung / standing</u>	<u>Abkürzungen Leistungsbezeichnungen / line designation abbreviations</u>	<u>Deutsch</u>	<u>English</u>
Volllinie / solid line	 0,25mm	Standard, Druckleitung, Tankleitung / standard, pressure line, tank line	P	Druckleitung	pressure line
Strichpunktlinie / dash-dotted line	 0,5mm	Bauteilumrandung / component border	T	Tankleitung, Rücklaufleitung	tank line, return line
Strichlinie / dashed line	 0,25mm	Steuerleitung, Lecköl / control line, leakage oil	S	Saugleitung	suction line
			L	Leckölleitung	leakage line
			X	Steuerleitung	control line
			LS	Load Sensing Leitung	load sensing line

Drawing by:		Approved by:		last change:		Status:		Document No.:		 HAMM		Material No.:		Revision No.:		Sheet	
date		date		date		AE = chargeable		Part of Document No.:				02632218		02		11	
name - Johannes Stock		name		name		PF = prototype release		Version No.:				Serial code:		Valid for Serial No.:		of	
E - CAE		Document type:		Function group No.:		SR = serial release						H176		from 3045 to 9999		12	
		HFP										Sheet plant:		Explanation line formats, line designations		Sheets	
												Sheet Location:					

